

PRICE LIST No. 42, effective APRIL 1, 1953

NETTAR IIB ( $2\frac{1}{4}x2\frac{1}{4}$ in.) and NETTAR IIC ( $2\frac{1}{4}x3\frac{1}{4}$	in.)
Using $\#120$ roll film. Lenses factory coated. Shutters with built-in flash synchronization (X) at $1/25$ sec.	
NETTAR IIB, NOVAR f/4.5, Pronto, self-timer	49.00
NETTAR IIC, NOVAR f/6.3, Vario	41.00
CASE, leather carrying, for either camera (specify)	7.70
Synchro cord, PC	1.95
Cable release, locking	1.25
Lens shade, slip-on mount, 32mm; for either camera	2.50
Filters, slip-on mount, 32mm; for either camera	
Ultra-violet 1x, Yellow 2x, Yellow-green 2x, Orange 5x, Red 8xeach	6.00
Filters, screw-on mount, 35.5mm; for Nettar IIB, same as aboveeach	6.00
Proxar close-up lenses, slip-on mount, 32mm;	
1x, $f = 1m$ , (for distances 40 to 21 in.)	
2x, f = 0.5m, (for distances 20 to 14 in.) for Nettar IIBeach	5.00
0.5x, $f = 2m$ (for distances 79 to 39 in.)	
1x, = $1m$ (for distances 40 to 26 in.)	
2x, $f = 0.5m$ (for distances 20 to 15 in.) for Nettar IICeach	5.00
Bernotar polarizing filter, slip-on mount, 32mm; for either camera	17.00
BOX TENGOR (21/4 x 3 1/4 in.)	
Using $\#120$ roll film. Lens factory coated. Shutter with built-in flash synchronization.	
BOX TENGOR, f/9 two-element lens, three stops, three focusing	
settings, accidental double-exposure prevention device	17.00
FILTER, Yellow 2x, slip-on mount for Box Tengor	2.50
FLASH UNIT, for Box Tengor, Nettars, etc.	5.50



# IKONTA A (1 $\frac{5}{8}$ x2 $\frac{1}{4}$ in.), IKONTA IIB (2 $\frac{1}{4}$ x2 $\frac{1}{4}$ in.) and IKONTA IIC (2 $\frac{1}{4}$ x3 $\frac{1}{4}$ in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).

#### IKONTA IIIB $(2\frac{1}{4}x2\frac{1}{4}$ in.) and IKONTA IIIC $(2\frac{1}{4}x3\frac{1}{4}$ in.)

Same as above but with built-in, uncoupled range-finder.

IKONTA A, NOVAR f/4.5, Prontor SV, self-timer	60.00
IKONTA A, NOVAR f/3.5, Prontor SV, self-timer	71.00
IKONTA A, TESSAR f/3.5, Synchro Compur	105.00
IKONTA IIB, NOVAR f/4.5, Prontor SV, self-timer	<b>69.0</b> 0
IKONTA IIB, NOVAR f/3.5, Prontor SV, self-timer	78.00
IKONTA IIB, TESSAR f/3.5, Synchro Compur	112.00
IKONTA IIC, NOVAR f/4.5, Prontor SV, self-timer	70.00
IKONTA IIC, NOVAR f/3.5, Prontor SV, self-timer	86.00
IKONTA IIC, TESSAR f/3.5, Synchro Compur, self-timer	136.00
IKONTA IIIB, NOVAR f/4.5, Prontor SV, self-timer	82.00
IKONTA IIIB, NOVAR f/3.5, Prontor SV, self-timer	94.00
IKONTA IIIB, TESSAR f/3.5, Synchro Compur	12 <b>6.0</b> 0
IKONTA IIIC, NOVAR f/4.5, Prontor SV, self-timer	88.00
IKONTA IIIC, NOVAR f/3.5, Prontor SV, self-timer	106.00
IKONTA IIIC, TESSAR f/3.5, Synchro Compur, self-timer	150.00
CASE, Eveready for A, IIB, IIIB, IIC, and IIIC (specify)each	10.00
Synchro cord, PC	1.95
Cable release, locking	1.25
Lens shade, slip-on mount, 32mm, for A and B models	2.50
slip-on mount, 37mm, for C models, Novar f/4.5	2 5 2
and Tessar f/3.5	2.50
special screw-on mount, 40.5mm, for C models with Novar	9 50
f/3.5	<b>2.5</b> 0



IKONTA CAMERAS—(Continued from page 2)	
Filters, slip-on mount, 32mm or screw-on mount, 35.5mm; for A and B models	
slip-on mount, 37mm, or screw-on mount, 40.5mm; for C models	
Ultra-violet 1x, Yellow 2x, Yellow-green 2x,	
Orange 5x, Red 8xeach	6.00
Proxar close-up lenses, slip-on mount, 32mm; for A & B models 1x, f = 1m, (for distances 40 to 21 in.)	
2x, $f = 0.5m$ , (for distances 20 to 14 in.)	5.00
Proxar close-up lenses, slip-on mount, 37mm, for C models,	0.00
screw-in mount, 40.5mm, for C model with Novar f/3.5	
0.5x, $f = 2m$ , (for distances 79 to 39 in.)	
1x, $f = 1m$ , (for distances 40 to 26 in.)	
2x, $f = 0.5m$ , (for distances 20 to 15 in.)each	5. <b>0</b> 0
Bernotar Polarizing Filter, slip-on mount, 32mm for A and B models	17.00
Bernotar Polarizing Filter, slip-on mount, 37mm for C models except C model with Novar f/3.5 lens	18.00
BOOK: The Ikonta & Super Ikonta Guide by W. D. Emanuel,	
72 pages	1.25
IKOFI FY Io and IIo (21/x21/ in )	
IKOFLEX Ia and IIa (2½ x2½ in.)	
Using #120 roll film. Lenses factory coated. Shutters with built-in,	
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).	113.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).	140.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur	$140.00 \\ 200.00$
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC.	$140.00 \\ 200.00 \\ 12.00 \\ 16.00 \\ 1.95$
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC	140.00 200.00 12.00 16.00 1.95 1.25
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC.  Cable release, locking.  Lens cap, twin, for Ikoflex Ia.	140.00 200.00 12.00 16.00 1.95 1.25 .75
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC.  Cable release, locking.  Lens cap, twin, for Ikoflex Ia.  Lens shade, special slip-on mount, 37mm, for both models	140.00 200.00 12.00 16.00 1.95 1.25 .75
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC.  Cable release, locking.  Lens cap, twin, for Ikoflex Ia.  Lens shade, special slip-on mount, 37mm, for both models.  Filters, slip-on mount, 37mm, or screw-on mount, 35.5mm	140.00 200.00 12.00 16.00 1.95 1.25 .75
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer.  IKOFLEX Ia, TESSAR f/3.5, Prontor SV, self-timer.  IKOFLEX IIa, TESSAR f/3.5, Synchro Compur.  CASE, Eveready for Ikoflex Ia.  Eveready for Ikoflex IIa.  Synchro cord, PC  Cable release, locking  Lens cap, twin, for Ikoflex Ia  Lens shade, special slip-on mount, 37mm, for both models  Filters, slip-on mount, 37mm, or screw-on mount, 35.5mm  Ultra-violet 1x, Yellow 2x, Yellow-green 2x.	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50 6.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50 6.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50 6.00
Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX).  IKOFLEX Ia, NOVAR f/3.5, Prontor SV, self-timer	140.00 200.00 12.00 16.00 1.95 1.25 .75 2.50 6.00 12.50 15.00



#### IKONTA 35, CONTINA 35 and CONTESSA 35 $(1x1\frac{1}{2})$ in.)

Using 35mm film in standard cartridges, black-and-white and color, 20 and 36-exposure loads.

Lenses factory coated. Shutters with built-in, full flash synchronization at all speeds (MX).

IKONTA 35, NOVAR f/3.5, Prontor SV, self-timer\$	78.00
IKONTA 35, TESSAR f/2.8, Synchro Compur	120.00
CONTINA 35, NOVAR f/3.5, Prontor SV, self-timer, uncoupled range-finder	<b>88.0</b> 0
CONTINA 35, TESSAR f/2.8, Synchro Compur, uncoupled range-finder	126.00
CONTESSA 35, TESSAR f/2.8, Synchro Compur, coupled range-finder, exposure meter	<b>214.0</b> 0
CASE, Eveready for Ikonta 35 and Contina 35	11.00
Eveready for Contessa 35	<b>12.0</b> 0
Synchro cord, PC	1.95
Cable release, locking	1.25
Lens shade, slip-on mount, 28.5mm	2.50
Filters, screw-on mount, 27mm	
Ultra-violet 1x, Yellow 2x, Yellow-green 2x, Orange 5x, Red 8x, Skylight (for Kodachrome)each	6.00
Type A (for Kodachrome)	7.80
Proxar close-up lenses, slip-on mount, 28.5mm; for above camer $1x$ , $f = 1m$ , (for distances 40 to 18 in.)	as
2x, $f = 0.5m$ , (for distances 20 to 12 in.)each	5.00
Bernotar polarizing filter, slip-on mount, 32mm; for above cameras	17.00
Eye-correction eyepiece lens-mount without lens, for Contessa 35	1.80
BOOK: Contax, Contessa, Contina, Ikonta 35 Guide by K. Tydings,	1.95



# SUPER IKONTA A $(1\frac{5}{8}x2\frac{1}{4}$ in.) and SUPER IKONTA C $(2\frac{1}{4}x3\frac{1}{4}$ in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX). Built-in coupled range-finder.

SUPER IKONTA A, TESSAR f/3.5, Synchro Compur	<b>162.</b> 00
SUPER IKONTA C, TESSAR f/3.5, Synchro Compur, self-timer	186.00
CASE, Eveready for A and C models (specify)	<b>10.0</b> 0
Synchro cord, PC	<b>1.9</b> 5
Cable release, locking	1.25
Lens shade, slip-on mount, 32mm for A model, and 37mm for C modeleach	2.50
Filters, slip-on mount, 32mm, or screw-on mount, 35.5mm for Super Ikonta A Ultra-violet 1x, Yellow 2x, Yellow-green 2x, Orange 5x, Red 8xeach	6.00
Filters, slip-on mount, 37mm, or screw-on mount, 40.5mm for Super Ikonta C Ultra-violet 1x, Yellow 2x, Yellow-green 2x, Orange 5x, Red 8xeach	6.00
Proxar close-up-lenses, slip-on mount, 32mm for Super Ikonta A 1x, $f=1m$ , (for distances 40 to 21 in.) 2x, $f=0.5m$ , (for distances 20 to 14 in.)each	5.00
Proxar close-up lenses, slip-on mount, $37mm$ for Super Ikonta (0.5x, $f = 2m$ , (for distances 79 to 39 in.) 1x, $f = 1m$ , (for distances 40 to 26 in.) 2x, $f = 0.5m$ , (for distances 20 to 15 in.)each	5.00
Bernotar polarizing filter.	5.00
slip-on mount, 32mm; for Super Ikonta A	17.00
slip-on mount, 37mm; for Super Ikonta C	18.00
16 exposure mask for Super Ikonta C	1.50
BOOK: The Ikonta & Super Ikonta Guide by W. D. Emanuel, 72 pages	1.25
IKOPHOT IIa PHOTO-ELECTRIC EXPOSURE MET	ER
ASA-calibrated, for reflected and incident light readings; small, compact design.	



#### SUPER IKONTA B and SUPER IKONTA BX (21/4 x 21/4 in.)

Using #120 roll film. Lenses factory coated. Shutters with built-in, full flash synchronization (MX). Built-in coupled range-finder. Super Ikonta BX has built-in ASA-calibrated photo-electric exposure meter.

SUPER IKONTA B, TESSAR f/2.8, Synchro Compur, self-timer	236.00
SUPER IKONTA BX, TESSAR f2.8, Synchro Compur, self timer	281.00
CASE, Eveready for B and BX (specify)	12.00
Synchro cord, PC	1. <b>9</b> 5
Cable release, locking	1.25
Lens shade, slip-on mount, 37mm	2.50
Filters, slip-on mount, 37mm  Ultra-violet 1x, Yellow 2x, Yellow-green 2x, Orange 5x, Red 8xeach	6.00
Proxar close-up lenses, slip-on mount, $37mm$ 0.5x, $f = 2m$ , (for distances 79 to 33 in.) 1x, $f = 1m$ , (for distances 40 to 23 in.)	
2x, $f = 0.5m$ , (for distances 20 to 15 in.)each	5.00
Bernotar Polarizing Filter, slip-on mount, 37mm	18.00
Eye-correction eye-piece lens-mount without lens, for B and BX	1.80
Neckstrap for camera	1.80
BOOK: The Ikonta & Super Ikonta Guide by W. D. Emanuel, 72 pages	1.25

#### CONTAX IIa and IIIa (35mm)

Cameras, lenses and accessories are contained in separate Price List No. 43. Available upon request.

HERMAN CAMERAS, INC.
"THE FRIENDLY SPOT TO PHOTO SHOP"
6 SO. LA SALLE ST.
CHICAGO 3, ILL. DE. 2-2300